

Material Safety Data Sheet

OLA GONE KITCHEN, BATHROOM & TILE CLEANER WITH BLEACH

Section 1. Chemical product and company identification

Trade name : OLA GONE KITCHEN, BATHROOM & TILE CLEANER WITH BLEACH
Product use : Cleaning product
Supplier : OB&HS - An Industrial Division of Ratex Health Corporation
A Subsidiary of Edison Electric - Edison GE Company
19/F, Suite A, The Ritz Plaza, Tsimshatsui
Kowloon, Hong Kong. Website: WWW.OLA.TM

Code : 905194
Date of issue : 30-August-2008

EMERGENCY HEALTH INFORMATION: +1 (888) OLA-8-OLA - (Dialing# +1-888.652.8652)
United States and Canada Fax +1 (800) 886-0973

Section 2. Composition, information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
sodium hypochlorite	7681-52-9	2

Section 3. Hazards identification

Physical state : Liquid. [Liquid.]
Emergency overview : WARNING!

CAUSES EYE AND SKIN IRRITATION.
MAY CAUSE RESPIRATORY TRACT IRRITATION.
Avoid contact with eyes, skin and clothing. Avoid breathing vapor or spray. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.

Potential acute health effects

Eyes : Irritating to eyes.
Skin : Irritating to skin.
Inhalation : Moderately irritating to the respiratory system.
Ingestion : No known significant effects or critical hazards.

See toxicological information (section 11)

Section 4. First aid measures

Eye contact : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention.
Skin contact : Flush contaminated skin with plenty of water. Continue to rinse for at least 10 minutes. Get medical attention if irritation persists. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Inhalation : If inhaled, remove to fresh air.
Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. If irritation persists, get medical attention.

Section 5. Fire fighting measures

Flash point : > 100°C
Product does not support combustion.
Products of combustion : Decomposition products may include the following materials: halogenated compounds, hydrogen chloride, chlorine.
Fire-fighting media and instructions : Use an extinguishing agent suitable for the surrounding fire.
Dike liquid for later disposal.

No specific hazard.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

- Personal precautions** : Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Do not allow to enter drains or watercourses.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up** : If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7. Handling and storage

- Handling** : Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.
- Storage** : Keep out of the reach of children. Keep container tightly closed. Keep container in a cool, well-ventilated area.
Store between the following temperatures: 0 and 45°C

Section 8. Exposure controls, personal protection

Engineering measures : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protection :

- Eyes** : Wear eye protection.
- Hands** : For prolonged or repeated handling, use the following type of gloves: Impervious gloves.
- Skin** : No protective equipment is needed under normal use conditions.
- Respiratory** : Avoid breathing vapors, spray or mists.

Name

chlorine

Exposure limits

ACGIH TLV (United States, 1/2006).

STEL: 2.9 mg/m³ 15 minute(s).

STEL: 1 ppm 15 minute(s).

TWA: 1.5 mg/m³ 8 hour(s).

TWA: 0.5 ppm 8 hour(s).

OSHA PEL (United States, 11/2006).

CEIL: 3 mg/m³

CEIL: 1 ppm

Section 9. Physical and chemical properties

- Physical state** : Liquid. [Liquid.]
- Color** : Clear.
- Odor** : Fragrance-like.
- pH** : 12 to 12.8 [Conc. (% w/w): 100%]
- Boiling/condensation point** : 100°C (212°F)
- Specific gravity** : 1.03 to 1.04
- Solubility** : Easily soluble in cold water, hot water.

Section 10. Stability and reactivity

- Stability** : The product is stable.
- Reactivity** : Reactive with metals, acids.
Mixing this product with acid or ammonia releases chlorine gas.
- Hazardous decomposition products** : Decomposition products may include the following materials: halogenated compounds, hydrogen chloride, chlorine.

Section 11. Toxicological information

Potential acute health effects

- Eyes** : Irritating to eyes.
- Skin** : Irritating to skin.
- Inhalation** : Moderately irritating to the respiratory system.
- Ingestion** : No known significant effects or critical hazards.

Potential chronic health effects

- Chronic effects on humans** : Contains material which causes damage to the following organs: upper respiratory tract.

Section 12. Ecological information

Section 13. Disposal considerations

- Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

- Waste classification** : Unused product is D002 (Corrosive)

Consult your local or regional authorities.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
DOT Classification	Not regulated.	-	-	-	Not available.

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

Section 15. Regulatory information

- HCS Classification** : Irritating material
Target organ effects
- U.S. Federal regulations** : SARA 302/304/311/312 extremely hazardous substances: No products were found.
SARA 302/304 emergency planning and notification: No products were found.
- TSCA 8(b) inventory** : All materials are listed or exempt.
- California Prop. 65** : No products were found.

Section 16. Other information

Hazardous Material Information System (U.S.A.) :	Health	*	2
	Flammability		0
	Physical hazards		0

Date of issue : 30-August-2007.
 Responsible name : Regulatory Affairs
 Date of previous issue : No previous validation.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.